



PROTOCOL 2000 for Cancer

- **as many drops of activated AMS as possible for 10 hours a day, for 3 weeks** -

This is an intense program that often works on cancer at any stage, and has worked for Stage IV cancers.

PROTOCOL 2000 is for cancer and other life threatening diseases. It basically is taking as many drops of activated AMS each hour as a person can take without becoming any sicker, or feeling worse, or developing diarrhea. It must be done for 10 hours a day, for 3 weeks or until well. It is best to start off with only one drop an hour and quickly build up to as many drops as you can take, again let me say without feeling worse. Remember all drops must be activated as given below. Please take this to heart, do not make yourself sicker than you already are. Take as many drops as you can, but easy does it. Making yourself sicker uses up energy and makes the recovery go slower.

The way you accomplish activation:

First, add your number of NaClO₂ drops to a clean dry glass, then activate as follows: add a drop of *Activator* 4% HCl for each drop of NaClO₂ in the glass, and then shake or swirl to mix, wait 30 seconds, add 1/2 to 1 glass of water or juice and then drink.

Do not use orange juice. Do not use juices with added vitamin C or ascorbic acid. Do not use concentrated juices that must have water added to them. Fresh juices are best.

But if you don't want to make up a single dose each hour, you can make 10 doses in the morning, and keep the solution in a closed container all day. Just follow the above instructions multiplying all the figures by 10 and then put that liquid in a closed container. Take 1/10th of it each hour. Don't worry the AMS will last hours longer than is needed so long as you keep the lid on tight.

Now, these are the important instructions you must be sure to follow:

- You must not make yourself sicker than you already are: Do not cause yourself a lot of nausea, or pain, or diarrhea. When you notice any of these symptoms coming on take less AMS.
- Try not to stop taking AMS, just take less. Go from 2 drops an hour of activated AMS to one drop an hour. Or if you are already taking only one drop an hour, then take 1/2 drop and hour, or even 1/4 drop an hour. Do not cause yourself diarrhea if you can avoid it by taking less AMS.



- Pain, diarrhea, nausea and other discomforts cause loss of energy, which in turn causes slower healing and slower recovery. On the other hand try to increase the amount of drops you are taking until you are taking 3 drops an hour, but do not go over 3 drops an hour. CONTINUE THIS UNTIL YOU ARE WELL.

Here is how you carry your 8 hour dose with you instead of having to activate it hourly.

Take a liter bottle, divide it into 8 equal parts with a Pen. Mix 24 drops of NaClO₂ and 24 drops of *Activator* 4% HCl. Swirl or mix and wait for 30 seconds. Fill the bottle with water or Juice (without Vitamin C or ascorbic acid) and you will have 3 drops of AMS activated per line taken hourly.

NOTE: this activated bottle of AMS will last up to 5 days in the fridge. We found that as long as you activate NaClO₂ and do not come into contact with a pathogen, the chlorine dioxide is not released. After 3 days you must add MMS2. The way you take MMS 2 is to take 1 capsule every other hour, or to say it different, take 1 capsule every 2 hours. HOWEVER, start with 1/4 capsule for the first day and go to 1/2 capsule for the second day, and then 1 full capsule thereafter. So you will be taking 5 capsules each day. The first day open the capsule and pour out 3/4 of the capsule each time and then the next day pour out only 1/2 of the capsule.

This protocol is for all kinds of Cancer and life threatening diseases no matter what kind and including Alzheimer.

The immune system simply cannot make enough of this chemical to kill a cancer, but you can furnish it with these capsules. It's the very same thing your immune system uses. This acid is generated by the chemical called calcium hypochlorite.

Take a capsule **4 times a day with 2 hours separating** each capsule, but go slow.

If you doubt the word about this acid being used by the immune system go to Google and search for "hypochlorous acid and the immune system." You will get dozens or hundreds of sites telling you about it being used by the immune system.

OK, so now you have the two things that you must take to kill your cancer and this is how you must go about killing the cancer. You must saturate your body with AMS and MMS2 to the point of killing the cancer quickly, but not so quickly that it makes you sicker than you already are. Killing the cancer too quickly can kill you, so go slow. You must take as much as you can without getting sick (nausea).



It is a balancing act. Increase your doses until you notice nausea, or vomiting, or diarrhea, or all three. Then stop the intake of AMS and 2 until the nausea passes, and start again immediately, but reduce the dose of both AMS and 2. You should notice the cancer getting better (smaller or less pain) very soon, or maybe just not getting worse). However, do not remain taking a reduced dosage. After several hours taking a reduced dose that does not make you feel worse, then begin slowly increasing again. Soon you will get the hang of the balancing act.

The minute you feel that nausea is starting, or something else is feeling bad, reduce your dosage or at least do not increase. This goes for both AMS and 2. With MMS2 you can reduce the dosage by opening the capsule and dumping part of the powder out. Generally once you are taking a full capsule, you would increase the dose merely by increasing the frequency that you take a capsule. Don't take more than one capsule at one time.

The reason that you would get sick at all is that the AMS is killing cancer and other pathogens faster than your elimination system can clear the blood and make the debris exit. The killed cells dump poison into your system. So called "dirty blood" can cause headaches and nausea. Any other diseases that might be present in your body that are also being killed will be dumping poisons into your body and the body must carry those poisons off.

Everyone differs in the efficiency of their elimination systems, and in the heavy toxic load they have been carrying that may have caused the cancer. Therefore no one can state that nausea will occur on day two or day ten. When overloaded with debris in the blood, you must slow down the doses of both AMS and MMS2, allowing the blood to clear. Gradually this nausea-barrier will improve.

Keep in mind that both AMS and MMS2 are chemicals that the human immune system has been using for hundreds of thousands of years. That isn't something that has been thought up. There are thousands of research papers that explain that and it has been known data for more than 50 years if not longer than that.

It's probably pretty hard to understand why medical people haven't been using those two chemicals to enhance the immune system for at least 50 years, but they never have. Amazing. The name of the chemical is calcium hypochlorite. Don't use any other chemical. The fact is, the quality of swimming pool chemicals has been checked and there is no poisonous chemicals used and the trace chemicals are all at a limit below what is suggested that your system can tolerate from the amount that you will be ingesting in this protocol.

In our opinion and from the people we have already seen recover or at least get a lot better, you have a better than 90% chance of recovery if you have a stage IV cancer. If you go the medical route, according to The American Cancer Society you have less than a 3% chance of recovery.

If melanoma or skin cancer is involved, please read the protocol regarding Skin Care.